
# Green Spot 1 9 5 9 L I N E



## NEVV! PUSH-BUTTON OSCILLATING SPRINKLER

No. H-788—Now this handsome, modern sprinkler can be adjusted for watering full area or either side of the sprinkler by pushing a button. It clicks into position. Waters rectangular areas up to 40 x 55 feet (2200 sq. ft.). Sled runners made of bonderized steel with white baked enamel. Housing made from die-casting treated to eliminate corrosion—finished with green baked enamel. Nylon and brass gears and bearings are enclosed in special compartment. All materials used are non-corrosive. Plastic clean-out knob at end of spray arm has needle point for cleaning holes in arm. Sprinkler drags easily across lawn without marring grass. Packed 1 per carton; wt. per shpg. container, 19 lbs.; pieces per shpg. container, 6. Height: 5½", length: 18", width: 6".



1. push-button adjustment for size of area.



2. waters up to 40 x 55 foot area.



3. water by passes gears.

### GREEN SPOT SPRINKLERS

 $the\ complete\ line\ of\ functionally\ designed\ sprinklers$ 

### TWIN-DIAL ADJUSTABLE

Sprinkler No. H-766 — Waters circles 10 to 50 feet across. Set nozzles for size of circle to be watered. Solid, chrome-plated brass head rotates on 22 stainless steel ball-bearings. Strainer in coupling nut. Sled base turns up for easy dragging. Extension for easy attaching of hose. Cap on base contains extra washers. Nylon-graphite bearing surfaces. Durable cast base with rustproof runners. Packed 1 per carton; wt. per shpg. container, 26 lbs.; pieces per shpg. container, 6. Height: 6¼, length: 13½, width: 7¼.



TIPPED ENDS ON SLED BASE FOR EASY DRAGGING, BROAD, LOW BASE TO ASSURE STABILITY.





### TWO-ARM ADJUSTABLE

Sprinkler No. H-734—Waters circles up to 50 feet across and odd-shaped areas with fine or coarse spray. Balanced arms spin smoothly on silent nylon-graphite bearing. Heavy brass nozzles lock at any angle. Arms can be made stationary or rotary by adjusting sliding sleeve. Arms and nozzles solid brass; sled base for easy dragging. Coupling nut extension and washer storage cap. Packed 1 per carton; wt. per shpg. container, 34 lbs.; pieces per shpg. container, 12. Height: 5", length: 10½", width: 7¼".

### THREE-ARM

Sprinkler No. H-754—Waters circles 40 feet across. Area watered uniformly by 3 permanently set spray tips. Nylon-graphite bearing and solid brass head and arms. White cast base, mounted on rust-proof sled. Packed 1 per carton; wt. per shpg. container, 15 lbs.; pieces per shpg. container, 12. Height:  $4\frac{1}{2}$ ", length:  $10\frac{1}{2}$ ", width:  $7\frac{1}{4}$ ".



Selected for exhibition at the


### GREEN SPOT SPRINKLERS

### WATERBOB IMPULSE-TYPE

Sprinkler No. H-740—Even water coverage for all types of areas from slender wedge to full circle 80 feet across. Works on low pressure. Available without base for underground systems. Coupling nut extension and washer storage cap. Forged brass head and body; stainless steel reversing mechanism and springs. Sled base turns up for easy dragging. Nylon-graphite bearing surfaces. Packed 1 per carton; wt. per shpg. container, 19 lbs.; pieces per shpg. container, 6. Height:  $5\frac{1}{2}$ , length:  $10\frac{1}{2}$ , width:  $7\frac{1}{4}$ .







### DELUXE TWO-ARM

Sprinkler No. H-700—Waters circles 35 feet across. Two permanently set spray arms water uniformly with raindrop spray. Functions well even on very low water pressure. Nylon bearing. Arms and head of brass. White cast base. Packed 1 per carton; wt. per shpg. container, 8 lbs.; pieces per shpg. container, 12. Height: 41/4", length: 5", width: 71/4".

### WATERITE OSCILLATING

Sprinkler No. H-367—Set dial for size of area. Won't overwater at ends of sweep. Working parts protected by compact die-cast aluminum body. All moving parts corrosion-resistant. All hydraulic type seals. Non-tip aluminum rod, sled-type base. Packed 1 per carton; wt. per shpg. container, 23 lbs.; pieces per shpg. container, 6. Height: 71/4", length: 10", width: 81/2".

BRUSSELS WORLD'S FAIR as examples of outstanding design!

SCOVILL MANUFACTURING COMPANY, WATERBURY, CONN. AND TORONTO, ONTARIO

MADE IN U.S.A.



### RING-SHAPED SPRINKLER

No. H-230-Aluminum in assorted colors. New! All-aluminum ring-shaped sprinkler anodized in 6 lively colors. One of each color packed in each carton. A rainbow of eyecatching sprinklers. Packed 6 per carton; wt. per shpg. container, 7½ lbs.; pieces per shpg. container, 24.



shpg. container, 18 lbs.; pieces per shpg. container, 24.



### RING-SHAPED SPRINKLER

No. H-264-All brass. Waters circles 20 feet across. Bright finish. Precision pierced. Non-leak seams. Packed 2 per carton; wt. per shpg. container, 22 lbs.; pieces per shpg. container, 24.



### FAN SPRAY

No. H-265-Brass fan spray with precision-pierced front plate. Made of wrought brass. Packed 12 per carton; wt. per shpg. container, 6 lbs.; pieces per shpg. container, 24.



### ROOT IRRIGATOR

No. H-364-Made from steel with green enamel finish. Brass swivel connector nut. 27½" stem pierces ground easily. Packed 12 per carton; wt. per shpg. container, 9 lbs.; pieces per shpg. container, 12.



### CRESCENT-SHAPED SPRINKLER

No. H-263—For semi-circular areas. Covers areas up to 10 feet x 20 feet. Wrought brass with bright finish. Non-leak seams. Packed 1 per carton; wt. per shpg. container, 7 lbs.; pieces per shpg. container, 12.



### **BLISTER-PACKED** FAN SPRAY

No. C-265-Same as H-265 carded under a clear plastic blister. Packed 6 per carton; wt. per shpg. container, 24 lbs.; pieces per shpg. container, 72.



### SPIKE FAN SPRINKLER

No. C-266 — A low-cost sprinkler with 4" rust-proof spike. Throws fine droplet spray. Brass head. Carded. Packed 12 per carton; wt. per shpg. container, 4½ lbs.; pieces per shpg. container, 36.



### ROUND FLOWER SPRINKLER

No. H-226-4" head for heavy watering. Throws fine spray 13 feet. Wrought brass with bright polish. Non-leak seams. Packed 12 per carton; wt. per shpg. container, 16 lbs.; pieces per shpg. container, 48.



### DELUXE ROOT IRRIGATOR WITH CONTROL VALVE

No. H-361-For below-ground watering. Needed by plants, shrubs, young trees. Solid brass head and water-control valve. 33" green enamel steel pierced stem. Packed 3 per carton; wt. per shipping container, 5 lbs.; pieces per shpg. container, 3.



### SPIKE CIRCULAR SPRINKLER

No. C-250-Covers circle 30 feet across with fine spray. Spike permits stationary position. Low cost, Carded. Packed 12 per carton; wt. per shpg. container, 9 lbs.; pieces per shpg. container, 48.



### OWL-EYE®

Sprinkler No. H-221—Waters circles 20-25 feet across with rain drop spray. Made of heavy zine die casting. Bright, durable finish. Packed 12 per carton; wt. per shpg. container, 54 lbs.; pieces per shpg. container, 72.



### **ECONOMY LAWN** SPRINKLER

No. H-255-An inexpensive sprinkler that throws a fine mist over circles up to 15 feet across. Excellent for banks and clay soils. Can be used in series. Green enameled steel base; wrought brass body. Packed 4 per carton; wt. per shpg. container, 21 lbs.; pieces per shpg. container, 48.



### DELUXE SPIKE FAN SPRINKLER

No. C-710-New! Handsomely designed, inexpensive sprinkler with 7" rust-proof spike. Cast head is white baked enamel. Throws water in fanshaped pattern. Carded for fast turnover. A best seller. Packed 12 per carton; wt. per shpg. container, 17 lbs.; pieces per shpg. container, 48.

MADE IN U.S.A.

## NEW PISTOL-GRIP NOZZLE

No. H-379-Squeeze of trigger controls various sprays. Wheel controlled by index finger locks trigger in any position. Made from zinc casting, enameled white, and bright brass rod nose piece. Individually packed in see-through top boxes. Packed 1 per carton; wt. per shpg. container, 13 lbs.; pieces per shpg. container, 20.

### HEAVY-DUTY HOSE NOZZLE



No. H-360 - Accurately machined from solid brass bar stock. Positive shut-off. Deep-knurled. Easy to control from solid stream to finest spray. Packed 6 per carton; wt. per shpg. container, 27 lbs.; pieces per shpg. container, 72.

### ECONOMY HOSE NOZZLE



No. H-257-Light weight. Wrought brass, satin finish. Low price, top performance. Packed 12 per carton; wt. per shpg. container, 24 lbs.; pieces per shpg. container, 144.

### STANDARD HOSE NOZZLE



No. H-375-Standard brass nozzle. Exclusive self-centering tip. Maximum flow. Sturdy construction. Accurately machined. Positive shutoff and perfect spray patterns. Packed 12 per carton; wt. per shpg. container, 30 lbs.; pieces per shpg. container, 144.

### Green Spot HOSE NOZZLE

### BLISTER-PACKED STANDARD NOZZLE

No. C-375 - Individually carded under a clear plastic bubble for self-selling. Packed 12 per carton; wt. per shpg. container, 13½ lbs.; pieces per shpg. container, 72.

### FLUSHING NOZZLE



No. H-380 — An inexpensive, non-adjustable nozzle. Hard, straight stream used for washing off sidewalks, patios, muddy car wheels and as a stand-by fire nozzle. Wrought brass. Packed 12 per carton; wt. per shpg. container, 4½ lbs.; pieces per shpg. container, 72.

### GREEN SPOT CONVENIENCE ITEMS






### QUICK CONNECTOR

No. H-351-Connects hose to faucet, hose or sprinkler. Sliding band for quick snap on-and-off. Ball bearing swivel prevents twisted hose. Solid brass accurately machined. Concealed spring-locking action. Leakproof. Packed 12 per carton; wt. per shpg. container, 131/2 lbs.; pieces per shpg. container, 72. Male & female parts available separately. See price list. No. C-351—Carded under plastic blister. Packed 10 per carton; wt. per shpg. container, 11 lbs.; pieces per shpg. container, 60.

### WATER THIEF



### GOOSE NECK

No. H-344-Fits on sillcock. Eliminates hose bending and kinking. Prevents skinned knuckles. Cast brass, has swivel nut. Packed 12 per display carton; wt. per shpg. container, 16 lbs.; pieces per shpg. container, 48.

### BLISTER-PACKED GOOSE NECK

No. C-344-Individually carded under clear plastic blister. Card sells item, explains uses, builds sales. Packed 12 per carton; wt. per shpg. container, 16 lbs.; pieces per shpg. container, 48.









### STRAINER-WASHER

No. C-356-For use on washing machine hose or garden hose. Traps particles, ravelings, dirt, etc., keeps equipment unclogged. Consists of cone-shaped brass screen embedded in plastic washer. Fits any standard coupling nut. It's CARDED. Packed 3 per card. 12 cords per card. 13 cords per card. 13 cords per card. 14 cords per card. 15 cords p per card; 12 cards per carton; wt. per shpg. container, 6 lbs.; pieces per shpg. container, 144 cards.

### SHUT-OFF HOSE VALVE

No. H-359-Save steps to faucet. Use between hose lengths, with hand sprays, car washer-mop, etc. 34" slide from on to off. Brass. Packed 12 per carton; wt. per shpg. container, 18 lbs.; pieces per shpg. container, 72.

No. C-359-Carded under plastic blister. Packed 12 per carton; wt. per shpg. container, 18 lbs.; pieces per shpg. container, 72.

### "Y" CONNECTOR

No. H-333 - Doubles the outlets of a sillcock. Attaches two hoses to one faucet. Lets two sprinklers operate on one line. Cast brass. Threaded ends: 2 male, 1 female. Packed 12 per carton; wt. per shpg. container, 14 lbs.; pieces per shpg. container, 48.

### BLISTER-PACKED "Y" CONNECTOR

No. C-333-Carded under a clear plastic blister. Item is protected, sells itself on informative, attractive card. Packed 12 per carton; wt. per shpg. container, 14 lbs.; pieces per shpg. container, 48.



MADE IN U.S.A.



### CLINCHER COUPLING

No. H-281-For rubber hose; gives permanent grip. Rustproof steel fingers lock edge-to-edge, prevent excessive lock edge-to-edge, prevent excessive squeezing and cutting of hose. Heavy gauge brass; king-size shanks. For  $\frac{7}{16}$ ,  $\frac{9}{16}$ ,  $\frac{7}{8}$ ,  $\frac{8}{8}$ , and  $\frac{3}{4}$  I.D. hose. Packed 12 per carton; wt. per shpg. container,  $\frac{7}{16}$  and  $\frac{1}{2}$  —12 lbs.  $\frac{9}{16}$  and  $\frac{5}{8}$  —27 bbs  $\frac{3}{4}$  —19. lbs: nieces per shng. con- $\frac{7}{16}$ " and  $\frac{1}{2}$ " -12 lbs.,  $\frac{1}{16}$  and  $\frac{7}{26}$  . lbs.,  $\frac{3}{4}$ " -12 lbs.; pieces per shpg. container,  $\frac{7}{16}$ " and  $\frac{1}{2}$ " -72,  $\frac{9}{16}$ " and  $\frac{5}{8}$ " -144,  $\frac{3}{4}$ " -48.



### BLISTER-PACKED RE-ATTACHABLE COUPLING FOR PLASTIC HOSE

No. C-290 - Attached by 2 sleeves that tighten over hose and wedge hose between sleeve and shank of coupling. Sleeves can be tightened while water is turned on. Made from wrought brass. Sizes for 3/8" and 5/8" I.D. hose. Packed 12 per carton; wt. per shpg. container, 38''-10 lbs., 58''-141/4 lbs.; pieces per shpg. container, 38'' and 58''-72.



### BLISTER-PACKED CLINCHER COUPLING

No. C-281 $-\frac{7}{16}$ ",  $\frac{1}{2}$ " and  $\frac{5}{8}$ " sizes only are carded under clear plastic blister. Packed 12 per carton; wt. per shpg. container, 13½ lbs.; pieces per shpg. container, 72.



### **BLISTER-PACKED** RE-ATTACHABLE MENDER FOR PLASTIC HOSE

No. C-284-Re-attachable tube, plus 2 sleeves. Streamlined. No projecting edges. Self-locking grip. Sizes for %5°,  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ " and  $\frac{5}{8}$ " I.D. hose. Carded under clear plastic blister. Packed 12 per carton; wt. per shpg. container, 51/4 lbs.; pieces per shpg. container, 72.



### CLINCHER MENDER

No. H-282 - For rubber hose; solid brass body, king-size shanks. Onepiece. Leakproof. Gives permanent grip. Rustproof steel fingers lock edgeto-edge, prevent excessive squeezing and cutting of hose. Sizes for  $\frac{1}{16}$ ",  $\frac{1}{96}$ ",  $\frac{5}{8}$ ",  $\frac{5}{8}$ ",  $\frac{3}{4}$ " I.D. hose. Packed 24 per Table 1. The state of the stat



### STANDARD HOSE COUPLING

No. H-278 - Standard equipment on new rubber hose. Wrought brass with deep ridge shanks. Easy gripping nut. Sizes for ½", 5%", 3/4" I.D. hose. Packed 24 per carton; wt. per shpg. container, 10 lbs.; pieces per shpg. container, 96.



### BLISTER-PACKED CLINCHER MENDER

No. C-282 $-\frac{7}{16}$ ",  $\frac{1}{2}$ " and  $\frac{5}{8}$ " sizes only are carded under clear plastic blister. Packed 12 per carton; wt. per shpg. container, 10 lbs.; pieces per shpg. container, 72.



### TUBULAR HOSE MENDER

No. H-285 - Used with GREEN SPOT clamps for quick hose repairs. Wrought brass with bright finish. Sizes for 1/2" 5/8", 3/4" I.D. hose. Packed 24 per carton; wt. per shpg. container, 4 lbs.; pieces per shpg. container, 96.



### **BLISTER-PACKED** RE-ATTACHABLE COUPLING FOR PLASTIC HOSE

No. C-2761-Easily attached, designed for plastic hose. Twin, wrought brass tapered bushings. Deeply knurled swiv-el nut. Wrought brass with bright finish. Sizes for  $\frac{7}{16}$  and  $\frac{1}{2}$  I.D. hose. Carded under clear plastic blister. Packed 12 per carton; wt. per shpg. container, 10½ lbs.; pieces per shpg. container, 72.



### GARDEN HOSE REPAIR CLAMPS

Nos. H-283, H-289-Brass, No. H-283. Steel, No. H-289. Positive grip. Full length bolt with nut. Sizes for 3%", 1/2", 5/8", 3/4" I.D. hose. Packed 24 per carton; wt. per shpg. container,  $\frac{3}{8}$ "—  $2\frac{2}{3}$  lbs.,  $\frac{1}{2}$ " and  $\frac{5}{8}$ "—4 lbs.,  $\frac{3}{4}$ "—6 lbs.; pieces per shpg. container, 96.



### RE-ATTACHABLE COUPLING FOR PLASTIC HOSE

No. H-2743-1/2" (Individually boxed). No. C-2743 – 5%", 34". (Packed in plastic bag.) Machined from brass rod. Same basic construction as H-2761. Sizes for ½", 58", 34" I.D. hose. 58" and 34" sizes packaged individually in plastic bags. Packed 12 per carton; wt. per shpg. container, ½ "-14 lbs., \$%"-24 lbs., ¾"-30 lbs.; pieces per shpg. container, ½"-48, 5%" and ¾" -72.



H-243 H-244

### HOSE NIPPLES

Nos. H-243, H-244—No. H-243 has 34" Male HT and ½", 34" or 1" Female IPT. No. H-244 has 34" Male HT and ½", 34" or 1" Male IPT. For connecting hose to pipe. Connects 34" hose to 1/2", 34" or 1" standard pipe thread. Solid brass. Packed 12 per carton; wt. per shpg. container, see price list; pieces per shpg. container, 48.



### RUBBER WASHERS

Printed in U.S.A.

No. H-357-Mounted 10 on a clip. Packed 12 clips per carton; wt. per shpg. container, 6 lbs.; pieces per shpg. container, 144.

per carton; wt. per shpg. container, 6 lbs.; pieces per shpg. container, 144.





### SWIVEL HOSE NIPPLE

No. H-242-For connecting male garden hose coupling to male iron pipe. Solid brass. Has ¾" Female HT and ½" or ¾" Female IPT. When ordering, specify IPT required-1/2" or 3/4". Packed 12 per carton; wt. per shpg. container, ½"-3 lbs., ¾"-4½ lbs.; pieces per shpg. container,  $\frac{1}{2}$ " and  $\frac{3}{4}$ "-36.



### END CAP

No. H-2511 - For capping any 3/4" G.H.T. male coupling. For use on multiple sprinklers, soil soakers, "Y" connectors, etc. Bright durable wrought brass. Packed 12 per carton; wt. per shpg. container, 3 lbs.; pieces per shpg. container, 72.


Order this catalog page by M-810



### Green Spot \$2.95 ROTATING SPRINKLER by SCOVILL Waters a Square

- Waters perfect squares up to 35' x 35'.
- Operates on low and high water pressures.
- Gives even rain-drop coverage.
- Spray is broken up by anodized aluminum propeller that spins on a Nylon bearing.
- All brass spray head.
- Base is made of tough "HIGH-IMPACT" that keeps its clean, white look for years.

Pieces per shpg. container, 6; wt. per shpg. container, 4 lbs.







### green Spot "Y" CONNECTOR by SCOVILL

MADE FROM

- Withstands 500 pounds water pressure.
- Pure white and light in weight; its good looks will last for years.
- A real eye-catcher; carded under a clear plastic blister.

Packed 10 per carton; pieces per shpg. container, 80; wt. per shpg. container, 5 lbs.







### Green Spot shut-off Hose Valve

by SCOVILL

Easy to operate by ¼ turn of lever.

- Has aircraft-type "O" ring seal.
- Provides a positive, leakproof shut-off.
- Packed individually in plastic bag.

Packed 10 per carton; pieces per shpg. container, 80; wt. per shpg. container, 41/2 lbs.








C-362 SHUT-OFF HOSE VALVE Retail Price: 98¢ ea.

### SCOVILL MANUFACTURING COMPANY, WATERBURY, CONNECTICUT

Makers of Aluminum Lawn Edging, Lawn Sprinklers and Watering Aids



### from **SCOVILL** . . . A complete line of **ALUMINUM LAWN EDGING**



- STACK COILS FOR EYE-CATCHING, MASS DISPLAY—LABEL READS **BOTH WAYS**
- COLORFUL, ATTRACTIVE WRAPPER STOPS IN-STORE TRAFFIC, STEPS **UP IMPULSE BUYING**
- SPECIAL SELF-SERVICE DISPLAY COIL, COMPLETE WITH CARRY-HOME HANDLE



Continuous coils of heavy gauge metal — narrow corrugations for extra strength.

Smooth rolled safety edges.

Can't rust — lasts indefinitely.

Easily cut with shears.

Made in U.S.A. from Scovill Truspec Aluminum

	Cat. No.	Size	Coils Per Shpg. Cont.	Wt. Lbs. Per Shpg. Cont.	Suggested List Price Ea.
	424	4" x 24'	10	20 \$	2.78 <b>\$3x00X</b>
	440	4" x 40"	6	20	4.16 <b>****</b> **
	630	6" x 30"	6	25	4.87 <b>xxxxx  </b>
	830	8" x 30"	6	30	6.39 <b>XXXXX</b>
PLUS TWO PROMOTIONAL SIZES!					
Promotionally priced for	P-413	4′′ x 13′	10	8	1.39 *****
i controlled priced for	D 420	111 201	10	1.0	202 (20)

Promotionally priced for 4" x 30" P-430 building traffic and for im-

pulse buying. Promote the 4" x 13' size as a "sampler" for gardeners to try around a tree or small garden.

One dependable source for complete lines of aluminum edging and lawn sprinklers

**SCOVILL** MANUFACTURING COMPANY, WATERBURY, CONNECTICUT

Makers of GREEN SPOT Sprinklers and Watering Accessories

Saves work

Makes gardening